

Simon | E3



Essential design,  
maximum functionality.

**simon**

Barcelona · Belo Horizonte · Brussels · Buenos Aires · Casablanca · Hanoi  
Istanbul · Kiev · Lima · Lisbon · Madrid · Mexico D.F. · Moscow · New Delhi  
Paris · Sao Paulo · Shanghai · Turin · Warsaw · Jakarta

**SIMON, S.A.**  
Tel. 902 109 100  
Web. [www.simonelectric.com](http://www.simonelectric.com)

**Vietnam Office of Simon Electric**  
Tel. +84 4 3222750  
Web. [www.simon.vn](http://www.simon.vn)

**Simon Electric (China)**  
Web. <http://international.simon.com.cn>  
E-mail. [export@simon.com.cn](mailto:export@simon.com.cn)

**PT Simon Elektrik Indonesia**  
Tel. +6221 52960373  
Web. [www.simonelektrik.co.id](http://www.simonelektrik.co.id)

**simon**




Simon|E3

Use naturalness, simplicity and moderation as the design elements. Abandon difficult structures, allow natural geometry to give off the rhythm.

Not only using straight lines, but also design to energize the home space.





Natural proportion

No more, no less.

Suitable side ratio to form clear and simple appearance design, fit human visual habits and bring comfort.



# Simplicity

## “Wing” panels

Overall thinness of 8.3mm,  
2.4mm thin floating edges.  
Create lighter visual perception,  
enjoy natural and soft click on your fingers.





simon


## Solutions

We can offer multiple choice to satisfy your needs.




## Safety

Simon socket employs “children safety lock” protection, it prevents people putting strange objects into the plug holes. It cares for the electrical safety of your family.



## Easy to install

Independent rocker plus integrated frame and baseplate, install promptly without worrying about dust.



01 Fix the integrated baseplate to the junction box on the wall with screws.



02 Insert the rocker manually.


03 Installation finished.




































# Details matter

















Precise structure and select materials.  
 Guarantees  $\geq 40.000$  times of switch life  
 And  $\geq 10.000$  times of socket life.



**Innovative use of current-carrying component.**  
 Resistance reduced to  $0.04\Omega \cdot \text{mm}^2/\text{m}$ . Compared to traditional Cu alloys, the mechanical properties, electrical conductivity and heat dissipation are optimized.



Picture	Code	Description	Picture	Code	Description
	301011	1 Gang 1 Way		301046Y	2 Gang intermediate With fluorescent
	301012	1 Gang 2 way		301031	3 Gang 1 Way
	301026	1 Gang intermediate		301032	3 Gang 2 way
	301011Y	1 Gang 1 Way With fluorescent		301031Y	3 Gang 1 Way With fluorescent
	301012Y	1 Gang 2 way With fluorescent		301032Y	3 Gang 2 way With fluorescent
	301026Y	1 Gang intermediate With fluorescent		301041	4 Gang 1 Way
	302023	20A 1 gang 1 way double pole switch with LED		301042	4 Gang 2 way
	302024	20A 1 gang 2 way double pole switch with LED		301041Y	4 Gang 1 Way With fluorescent
	303223	32A 1 gang 1 way double pole switch with LED		301042Y	4 Gang 2 way With fluorescent
	303224	32A 1 gang 2 way double pole switch with LED		301011F	1 Gang push button
	301021	2 Gang 1 Way		301011YF	1 gang push button with Luminous Strip
	301022	2 Gang 2 way		306301	Doorbell
	301046	2 Gang intermediate		301021F	2 Gang push button
	301021Y	2 Gang 1 Way With fluorescent		301021YF	2 gang push button with Luminous Strip
	301022Y	2 Gang 2 way With fluorescent		305111	TV outlet

Picture	Code	Description	Picture	Code	Description
	305114	TV F type outlet		301089	Multi-standard socket with switch
	305214	Telephone outlet			
	305218	Data Cat5e outlet			
	305618	Data Cat6 outlet			
	305224	Twin Telephone outlet			
	305228	Twin data Cat5e outlet			
	305229	Telephone and data outlet			
	305269	Telephone & Cat.6 outlet			
	305268	2 gang Cat.6 data outlet			
	301000	Blank Plate			
	306102	Dimmer switch			
	301287	Twin EU-US socket with earth contact			
	301382B	13A British socket with switch			
	301582	15A BS socket with switch			
	301687	16A Schuko socket			